

Anaerobic Jar, Anemometers

Anaerobic System

Anaerobic Jar

Transparent polycarbonate jar, 3 litres, which accepts up to 15 plastic petri dishes of 60 to 100mm diameter using an accessory rack. The lid incorporates two valves and pressure gauge and is secured by spring clamps. Overall 120 x 270mm diameter x height.

AN205-15 For up to 15 dishes

Accessories

AN207-10 Petri dish rack for up to 15 dishes of 60 to 100mm diameter

AN207-25 "Anaerobic" generator kits. Produces oxygen-free atmosphere in approx. 30 minutes with <1% O₂ and 9 to 13% CO₂. Pack of 10 sachets.

AN207-35 "CO₂" generator kits. Produces CO₂ atmosphere in approx. 60 to 90 minutes with approx. 10% CO₂ and 15% O₂. Pack of 10 sachets.

Anemometers

For measuring wind speeds and air flows in ducts and tunnels.

Anemometer, vane, compact

Compact hand-held, vane-type anemometer and thermometer with rugged ABS housing and large, clear, backlit LCD readout.

Ranges:-

Wind speed: 0.4 to 30m/s (alternative ranges: mph, knots, km/h)

Temperature: -30 to +60°C (alternative range: -22 to 140°F)

Precision: ±3%. Other functions include maximum and minimum values and battery status readout. Overall 175 x 52 x 35mm L x W x D. Weight 115g. Supplied with battery.

AN450-25 Vane anemometer, compact

BL610-25 Spare battery, 9V

Anemometer, vane

Portable, hand-held vane-type anemometer and thermometer for outdoor applications.

Ranges:-

Wind speed: 0.2 to 30m/s (alternative ranges: Beaufort scale, knots, km/h)

Temperature: -30 to +60°C (alternative range: -22 to 140°F)

Other functions include maximum and average wind speed, and Windchill temperature calculation. Overall 136 x 50 x 18mm L x W x D. Weight 58g. In splash-resistant case and supplied with soft carrying case, lanyard and batteries.

AN450-40 Vane anemometer

BL590-25 Spare battery, 3V


continued on next page.



AN205-15 in use with AN207-10



AN450-25



AN450-40