

Clinical Sundries

Urine Test Glasses, Conical

CM825-10 100ml
CM825-15 150ml
CM825-17 175ml

Cylindrical

With conical inner base for sediment.

CM825-40 100ml
CM825-45 150ml

Urinometer set, glass

For measuring the specific gravity of urine. Range 1.000 to 1.060 calibrated at 60°F (15.5°C). Supplied complete in pack with glass test jar, capacity approximately 60ml.

Description
CM848-10 Urinometer/test jar

Spare parts

Urinometer only, glass. Range 1.000 to 1.060.

CM850-10 Urinometer

Test jar glass, capacity approximately 60ml.

CM852-06 Test jar

Other specimen and sample containers can be found in the Bottles section - see **BS200/BS241**.

Sterilisable disposal bags - see **BA030/BA090**.

Sterile spatulas - see **TP493**.

Clinical Thermometers

Gallium filled. Stubby bulb and lens front. Length 100mm. In plastic case. 35 to 42°C - see **TG700**.

Specimen Cups, Elkay

Polypropylene with quarter-turn polyethylene screw cap (except **CM900-18** which has no cap). Capacity 120ml. Specimen volume can be checked visually using the moulded graduations. Frosted write-on areas on container and cap provide convenient sample identification. The sterile cups are individually wrapped. Supplied in packs as indicated.

Bulk packed

CM900-13 Non-sterile, with white cap, pack of 450
CM900-18 Non-sterile, without cap, pack of 500

Individually wrapped

CM900-42 Sterile, with red cap, pack of 350

Digital Clinical Thermometer

Range 32 to 43.9°C with LCD temperature indication to 0.1°C. Symbols "L" (low) and "H" (high) indicate when the temperature is outside the normal limits and the °C symbol flashes until the temperature has stabilised. Accuracy ±0.1°C between 35 and 38°C and ±0.2°C outside this range. Powered by one 1.5V silver oxide battery type SR41 which has a life equivalent to about 4000 temperature measurements in normal use. Overall 110 x 14 x 8mm. Weight 7g. With battery.

TG715-10 Digital clinical

BL630-06 Spare battery, 1.5V

Clinical Thermometers

Gallium filled. Stubby bulb and lens front. Length 100mm. In plastic case. 35 to 42°C - see **TG700**.



CM825-10

CM825-40

CM848-10



CM900-13, CM900-18 and -42 are similar



TG715