

Flasks, Glass

Buchner Flask Seals

Vacuum Ring Seal

A neoprene rubber disc with a tapered raised boss and central hole which accepts the stem of a Buchner or similar filter funnel. The disc seals when placed over the neck of a filter flask and vacuum is applied. Ring disc diameter 75mm.

FK364-10 Vacuum ring seal

Buchner Rings

Long-lasting, heavy-duty, profiled natural compound (60 shore) rubber rings which provide a vacuum-tight seal and excellent support for Buchner funnels, incorporating a wide flange and large surface contact. Available individually or in a set of all sizes, as indicated.

| | To fit flask neck i.d. |
|-----------------|---------------------------|
| FK364-25 | 24mm |
| FK364-35 | 35mm |
| FK364-45 | 45mm |
| FK364-55 | 60mm |
| FK364-75 | 68mm |

FK364-80 Set of 5 Buchner rings for flask with neck diameters: 24mm, 35mm, 45mm, 60mm and 68mm

Buchner funnels in porcelain, glass and plastic are available – see FT650/FT660, FT804 and FT815 series.

Roux, Distillation, Kjeldahl

Flasks, Pyrex 1350 series

Roux culture. With fire polished, offset neck.

| | Ref. | Capacity ml | Neck | Neck i.d. mm | B.S. stopper No. required |
|-----------------|---------|----------------|--------|-----------------|------------------------------|
| FK502-37 | 1350/04 | 600 | Offset | 28 | 27 |
| FK502-42 | 1350/06 | 1200 | Offset | 33 | 31 |

Tissue Culture Flasks and Roller Culture Flasks – see *Tissue Culture* section.

Culture Vessels, flat flange – see *Quickfit* section.

Flask, Pyrex 1290/04

Distillation. Side arm set at 75° to vertical axis and positioned to suit a 76mm partial immersion thermometer.

| | Ref. | Capacity ml |
|--------------------------------|---------|----------------|
| To ASTM E133 and IP 123 | | |
| FK527-26 | 1290/04 | 125 |

Flasks, Pyrex 1200 series

Kjeldahl. Long neck.

| | Ref. | Capacity ml | Neck i.d. mm | B.S. stopper No. required |
|-----------------|---------|----------------|-----------------|------------------------------|
| FK540-24 | 1200/04 | 100 | 17 | 15 |
| FK540-32 | 1200/10 | 300 | 24 | 23 |
| FK540-35 | 1200/12 | 500 | 30 | 29 |
| FK540-38 | 1200/16 | 800 | 30 | 29 |




FK364-10 in use



FK502



FK364-25 to -75 in use



FK527-26



FK540