

Flasks

Florentine

For use with rotary evaporators.

| | Nominal capacity ml | Socket size | Overall height mm |
|-------------------|---------------------|-------------|-------------------|
| QFD50/4RE | 50 | 29/32 | 94 |
| QFD100/3 | 100 | 24/29 | 108 |
| QFD100/4RE | 100 | 29/32 | 107 |
| QFD250/4RE | 250 | 29/32 | 151 |
| QFD500/4RE | 500 | 29/32 | 160 |
| QFD1L/4RE | 1000 | 29/32 | 198 |
| QFD1L/4REP | 1000* | 29/32 | 198 |
| QFD2L/4RE | 2000 | 29/32 | 245 |

*Plastic coated.

Kjeldahl

| | Nominal capacity ml | Socket size | Overall height mm |
|------------------|---------------------|-------------|-------------------|
| QFK300/3L | 300 | 24/29 | 295 |
| QFK500/3L | 500 | 24/29 | 305 |

Iodine

Items FIB 250/3 and FIB 500/3 comply with BS 2735. Stoppers supplied separately.

| | Nominal capacity ml | Joint size | Min. cup capacity ml |
|------------------------|---------------------|------------|----------------------|
| QFIB250/3 Flask | 250 | 24/29 | 20 |
| QSIB24 Stopper | — | 24/29 | — |
| QFIB500/3 Flask | 500 | 24/29 | 20 |
| QSIB24 Stopper | — | 24/29 | — |
| QFIB500/4 Flask | 500 | 29/32 | 20 |
| QSIB29 Stopper | — | 29/32 | — |

Conical, Erlenmeyer

Standard wall. These flasks are intended for general purpose use. A heavier wall flask (FEH) suitable for vacuum work is detailed below.

| | Nominal capacity ml | Socket size | Overall height mm | Approx. dia. mm |
|-----------------|---------------------|-------------|-------------------|-----------------|
| QFE10/1 | 10 | 14/23 | 60 | 34 |
| QFE25/1 | 25 | 14/23 | 72 | 42 |
| QFE25/2 | 25 | 19/26 | 77 | 42 |
| QFE50/1 | 50 | 14/23 | 85 | 51 |
| QFE50/2 | 50 | 19/26 | 85 | 51 |
| QFE50/3 | 50 | 24/29 | 90 | 51 |
| QFE100/1 | 100 | 14/23 | 107 | 64 |
| QFE100/2 | 100 | 19/26 | 103 | 64 |
| QFE100/3 | 100 | 24/29 | 107 | 64 |
| QFE100/4 | 100 | 29/32 | 110 | 64 |
| QFE150/2 | 150 | 19/26 | 118 | 74 |
| QFE150/3 | 150 | 24/29 | 118 | 74 |
| QFE150/4 | 150 | 29/32 | 116 | 74 |
| QFE250/2 | 250 | 19/26 | 134 | 85 |
| QFE250/3 | 250 | 24/29 | 130 | 85 |
| QFE250/4 | 250 | 29/32 | 128 | 85 |
| QFE250/5 | 250 | 34/35 | 130 | 85 |
| QFE500/3 | 500 | 24/29 | 167 | 101 |
| QFE500/4 | 500 | 29/32 | 167 | 101 |
| QFE1L/3 | 1000 | 24/29 | 213 | 130 |



QFD:

QFK:

QFIB:, QSIB:

QFE